

PROMASTER TRADE PACKAGES

VEHICLE SHELVING SYSTEMS




FLOOR LAYOUT PLANS

118" WHEELBASE INSIDE ROOF HEIGHT

LOW ROOF: 65






136" WHEELBASE INSIDEROOF HIGHT

LOW ROOF: 65" HIGH ROOF: 76"






159" WHEELBASE INSIDE ROOF HEIGHT

HIGH ROOF: 76






159"EXTENDED WHEELBASE INSIDE ROOF HEIGHT

HIGH ROOF: 79





PROMASTER

4	PROMASTER 118" WB LOW ROOF
8	PROMASTER 136" WB LOW ROOF
12	PROMASTER 136" WB HIGH ROOF
16	PROMASTER 159" WB HIGH ROOF
20	PROMASTER 159" WB EXTENDED HIGH ROOF
24	PARTITIONS
25	ACCESSORIES


LEGEND:








RAM PROMASTER 118" WHEELBASE LOW ROOF





CONTRACTOR PACKAGE



#	QTY	PART NUMBER	DESCRIPTION
1	1	21-8363-4	PROFILED BACK SHELF UNIT 84"WIDE X 13.5"DEEP X 63"HIGH WITH 4 SHELVES
2	1	21-4363-4	PROFILED BACK SHELF UNIT 48"WIDE X 13.5"DEEP X 63"HIGH WITH 4 SHELVES
3	1	30-HK-FMD	FIXED MEDIUM HOOK (3" OPENING)
4	1	30-HK-SMD	SWIVEL MEDIUM HOOK (4" OPENING)
			OPTIONS
5	1	31-RP10-XX	OPTIONAL SEE VEHICLE SPECIFIC RIGID FLOORING SYSTEMS SECTION
5	1	31-RP10-XX	OPTIONAL SEE VEHICLE SPECIFIC RIGID FLOORING SYSTEMS SECT



175




4.1

YES

60-RP11-E1

ELECTRICAL PACKAGE



#	QTY	PART NUMBER	DESCRIPTION
1	1	21-3363-4	PROFILED BACK SHELF UNIT 36"WIDE X 13.5"DEEP X 63"HIGH WITH 4 SHELVES
2	1	15-1363-8	PROFILED BACK CARRY CASE CABINET 18-7/8"WIDE X 13.5"DEEP X 63"HIGH WITH 8 CARRYCASES
3	1	13-1363-3	PROFILED BACK LOCKER CABINET 14"WIDE X 13.5"DEEP X 63"HIGH WITH 3 SHELVES AND 2 HOOKS AND HANG ROD
4	1	18-4536-1W	WORKBENCH 43"WIDE X 15.5"DEEP X 36"HIGH WITH 1 STANDARD DIVIDER SHELF AND A 1.5" THICK HARDWOOD WORKTOP
5	2	30-HK-FMD	FIXED MEDIUM HOOK (3" OPENING)
			OPTIONS
6	1	31-RP10-XX	OPTIONAL SEE VEHICLE SPECIFIC RIGID FLOORING SYSTEMS SECTION








RAM PROMASTER 118" WHEELBASE LOW ROOF

60-RP11-S1

SERVICE PACKAGE



#	QTY	PART NUMBER	DESCRIPTION
1	1	21-6363-4	PROFILED BACK SHELF UNIT 60"WIDE X 13.5"DEEP X 63"HIGH WITH 4 SHELVES
2	1	15-1363-8	PROFILED BACK CARRY CASE CABINET 18-7/8"WIDE X 13.5"DEEP X 63"HIGH WITH 8 CARRYCASES
3	1	13-1363-3	PROFILED BACK LOCKER CABINET 14"WIDE X 13.5"DEEP X 63"HIGH WITH 3 SHELVES AND 2 HOOKS AND HANG ROD
4	1	23-4363-4	PROFILED BACK BIN SHELF UNIT 43"WIDE X 13.5"DEEP X 63"HIGH WITH 4 SHELVES
5	1	30-HK-FMD	FIXED MEDIUM HOOK (3" OPENING)
			OPTIONS
6	1	31-RP10-XX	OPTIONAL SEE VEHICLE SPECIFIC RIGID FLOORING SYSTEMS SECTION

301




4.1



60-RP11-W1

WORKSTATION PACKAGE



#	QTY	PART NUMBER	DESCRIPTION
1	1	18-4536-1W	WORKBENCH 43"WIDE X 15.5"DEEP X 36"HIGH WITH 1 STANDARD DIVIDER SHELF AND A 1.5" THICK HARDWOOD WORKTOP
2	1	21-3563-4	PROFILED BACK SHELF UNIT 36"WIDE X 15.5"DEEP X 63"HIGH WITH 4 SHELVES
3	1	DO-136	LOCKING DOOR FOR 36"WIDE SHELVING UNIT
4	1	16-1512- 110	TOOL DRAWER 18"WIDE X 15.5"DEEP X 11-11/16"HIGH WITH 2 DRAWERS
5	1	23-4563-4	PROFILED BACK BIN SHELF UNIT 43"WIDE X 15.5"DEEP X 63"HIGH WITH 4 SHELVES
6	1	30-HK-SMD	SWIVEL MEDIUM HOOK (4" OPENING)
7	1	30-HK-FMD	FIXED MEDIUM HOOK (3" OPENING)
			OPTIONS
8	1	31-RP10-XX	OPTIONAL SEE VEHICLE SPECIFIC RIGID FLOORING SYSTEMS SECTION








RAM PROMASTER 118" WHEELBASE LOW ROOF





HVAC PACKAGE



#	QTY	PART NUMBER	DESCRIPTION
1	1	21-7563-4	PROFILED BACK SHELF UNIT 72"WIDE X 15.5"DEEP X 63"HIGH WITH 4 SHELVES
2	1	DO-172	2-SET LOCKING DOOR KIT FOR 72" WIDE SHELVING UNIT
3	1	30-TE-34	TOP EDGE FOR DRAWER CABINET 13.5" WIDE X 48" DEEP
4	2	11-3406-0	DRAWER CABINET 13.5"WIDE X 48"DEEP X 6"HIGH
5	1	11-8420-0	DRAWER CABINET 18"WIDE X 48"DEEP X 20"HIGH
6	1	30-BH-LG	LARGE BOTTLE HOLDER
7	1	23-4363-5	PROFILED BACK BIN SHELF UNIT 43"WIDE X 13.5"DEEP X 63"HIGH WITH 5 SHELVES
8	1	30-HK-SMD	SWIVEL MEDIUM HOOK (4" OPENING)
9	2	30-CCH-SK	UNDER SHELF CARRY CASE HOLDER W/CASE
10	1	30-TBH	TWIN LEVEL REFRIGERANT BOTTLE HOLDER
11	1	30-HK-FMD	FIXED MEDIUM HOOK (3" OPENING)
			OPTIONS
12	1	31-RP10-XX	OPTIONAL SEE VEHICLE SPECIFIC RIGID FLOORING SYSTEMS SECTION



382




7.0



60-RP11-P1

PLUMBING PACKAGE



#	QTY	PART NUMBER	DESCRIPTION
1	1	21-7363-4	PROFILED BACK SHELF UNIT 72"WIDE X 13.5"DEEP X 63"HIGH WITH 4 SHELVES
2	1	15-1363-8	PROFILED BACK CARRY CASE CABINET 18-7/8"WIDE X 13.5"DEEP X 63"HIGH WITH 8 CARRYCASES
3	1	23-4363-4	PROFILED BACK BIN SHELF UNIT 43"WIDE X 13.5"DEEP X 63"HIGH WITH 4 SHELVES
4	1	30-HK-SMD	SWIVEL MEDIUM HOOK (4" OPENING)
5	1	30-HK-FMD	FIXED MEDIUM HOOK (3" OPENING)
			OPTIONS
6	1	31-RP10-XX	OPTIONAL SEE VEHICLE SPECIFIC RIGID FLOORING SYSTEMS SECTION

265








RAM PROMASTER 118" WHEELBASE LOW ROOF

60-RP11-D1

DELIVERY PACK AGE



#	QTY	PART NUMBER	DESCRIPTION
1	1	26-7063-02	2 LEVEL FOLD-UP SHELVING UNIT, 77"W X 21"D X 63"H
2	1	26-4063-02	2 LEVEL FOLD-UP SHELVING UNIT, 41"W X 21"D X 63"H
			OPTIONS
3	1	31-RP10-XX	OPTIONAL SEE VEHICLE SPECIFIC RIGID FLOORING SYSTEMS SECTION

115





RIGID FLOORING OPTIONS FOR RAM PROMASTER 118" WB



RIGID. 1/2" thick 100% recycled plastic composite. Extremely rigid floor is the most durable in its class. Long life, enduring extreme temperatures to avoid cracking and splitting. Non-porous surface is liquid resistant to eliminate bacteria and mold formation. Heavy-duty protection adds to end-of-lease resale value. For use under the harshest conditions including forklift loading.



ANTI-SLIP. rigid 1/2" thick 100% rubber coated composite plastic.

The most anti-slip rigid floor in its class. Non-porous surface is liquid resistant to eliminate bacteria and mold formation. Heavy-duty protection adds to end-of-lease resale value with added benefit of non-slip surface.



STABLE. It is one of the only dimensional stable composite floors available on the market for cargo

It is engineered to endure all climates and temperatures without bulging or buckling. StabiliGrip is extremely durable, impact resilient, moisture resistant, rot proof, and anti-slip.


								OPT	ONS
PART Number	FLOOR Model	# PIECES	TOTAL Lenth	TOTAL Width	BETWEEN Wheelhouses	INSTALL (MIN.)	WEIGHT (LBS.)	SIDE SILL	REAR SILL
31-RP10-11	ULTRAFLOOR	1	103.75 IN.	70.75 IN.	55.22 IN.	20	84	31-RP10-31	31-RP10-41
31-RP10-12	ULTRAFLOOR	2	103.75 IN.	70.75 IN.	55.22 IN.	20	84	31-RP10-31	31-RP10-41
31-RP10-21	ULTRAGRIP	1	103.75 IN.	70.75 IN.	55.22 IN.	20	94	31-RP10-31	31-RP10-41
31-RP10-22	ULTRAGRIP	2	103.75 IN.	70.75 IN.	55.22 IN.	20	94	31-RP10-31	31-RP10-41
31-RP10-01	STABILIGRIP	1	103.75 IN.	70.75 IN.	55.22 IN.	20	94	31-RP10-31	31-RP10-41
31-RP10-02	STABILIGRIP	2	103.75 IN.	70.75 IN.	55.22 IN.	20	94	31-RP10-31	31-RP10-41

RAM PROMASTER 136" WHEELBASE LOW ROOF





CONTRACTOR PACKAGE



#	QTY	PART NUMBER	DESCRIPTION
1	1	21-9363-4	PROFILED BACK SHELF UNIT 96"WIDE X 13.5"DEEP X 63"HIGH WITH 4 SHELVES
2	1	21-4363-4	PROFILED BACK SHELF UNIT 48"WIDE X 13.5"DEEP X 63"HIGH WITH 4 SHELVES
3	1	30-HK-FMD	FIXED MEDIUM HOOK (3" OPENING)
4	1	30-HK-SMD	SWIVEL MEDIUM HOOK (4" OPENING)
			OPTIONS
5	1	31-RP20-XX	OPTIONAL SEE VEHICLE SPECIFIC RIGID FLOORING SYSTEMS SECTION




187



YES

60-RP21-E1

ELECTRICAL PACKAGE



#	QTY	PART NUMBER	DESCRIPTION
1	1	25-6363-5	PROFILED BACK BIN SEPARATOR COMBO SHELF UNIT 69.125"WIDE X 13.5"DEEP X 63"HIGH WITH 5 SHELVES
2	1	15-1363-8	PROFILED BACK CARRY CASE CABINET 18-7/8"WIDE X 13.5"DEEP X 63"HIGH WITH 8 CARRYCASES
3	1	13-1363-3	PROFILED BACK LOCKER CABINET 14"WIDE X 13.5"DEEP X 63"HIGH WITH 3 SHELVES AND 2 HOOKS AND HANG ROD
4	1	18-4536-1W	WORKBENCH 43"WIDE X 15.5"DEEP X 36"HIGH WITH 1 STANDARD DIVIDER SHELF AND A 1.5" THICK HARDWOOD WORKTOP
5	2	30-HK-FMD	FIXED MEDIUM HOOK (3" OPENING)
			OPTIONS
6	1	31-RP20-XX	OPTIONAL SEE VEHICLE SPECIFIC RIGID FLOORING SYSTEMS SECTION

329








RAM PROMASTER 136" WHEELBASE LOW ROOF

60-RP21-S1

SERVICE PACKAGE



#	QTY	PART NUMBER	DESCRIPTION
1	1	21-7363-4	PROFILED BACK SHELF UNIT 72"WIDE X 13.5"DEEP X 63"HIGH WITH 4 SHELVES
2	1	15-1363-8	PROFILED BACK CARRY CASE CABINET 18-7/8"WIDE X 13.5"DEEP X 63"HIGH WITH 8 CARRYCASES
3	1	13-1363-3	PROFILED BACK LOCKER CABINET 14"WIDE X 13.5"DEEP X 63"HIGH WITH 3 SHELVES AND 2 HOOKS AND HANG ROD
4	1	23-4363-4	PROFILED BACK BIN SHELF UNIT 43"WIDE X 13.5"DEEP X 63"HIGH WITH 4 SHELVES
5	1	30-HK-FMD	FIXED MEDIUM HOOK (3" OPENING)
			OPTIONS
6	1	31-RP20-XX	OPTIONAL SEE VEHICLE SPECIFIC RIGID FLOORING SYSTEMS SECTION

315




5.1



60-RP21-W1

WORKSTATION **PACKAGE**



#	QTY	PART NUMBER	DESCRIPTION
1	1	23-5563-4	PROFILED BACK BIN SHELF UNIT 59.938"WIDE X 15.5"DEEP X 63"HIGH WITH 4 SHELVES
2	1	18-4536-LD	WORKBENCH 43"WIDE X 15.5"DEEP X 36"HIGH WITH A 6 DRAWER UNIT ON LEFT HAND SIDE
3	1	29-1563-5	PROFILED BACK BOOKSHELF 11" WIDE X 15.5" DEEP X 63" HIGH WITH 5 SHELVES
4	1	21-4563-4	PROFILED BACK SHELF UNIT 48"WIDE X 15.5"DEEP X 63"HIGH WITH 4 SHELVES
5	1	D0-148	LOCKING DOOR FOR 48" WIDE SHELVING UNIT
6	2	16-1512- 110	TOOL DRAWER 18"WIDE X 15.5"DEEP X 11-11/16"HIGH WITH 2 DRAWERS
7	1	30-HK-FMD	FIXED MEDIUM HOOK (3" OPENING)
8	1	30-HK-SMD	SWIVEL MEDIUM HOOK (4" OPENING)
			OPTIONS
9	1	31-RP20-XX	OPTIONAL SEE VEHICLE SPECIFIC RIGID FLOORING SYSTEMS SECTION








RAM PROMASTER 136" WHEELBASE LOW ROOF





HVAC PACKAGE



	#	QTY	PART NUMBER	DESCRIPTION
	1	1	21-7563-4	PROFILED BACK SHELF UNIT 72"WIDE X 15.5"DEEP X 63"HIGH WITH 4 SHELVES
	2	1	DO-172	2-SET LOCKING DOOR KIT FOR 72" WIDE SHELVING UNIT
	3	1	30-TE-34	TOP EDGE FOR DRAWER CABINET 13.5" WIDE X 48" DEEP
3	4	2	11-3406-0	DRAWER CABINET 13.5"WIDE X 48"DEEP X 6"HIGH
_ 	5	1	11-8420-0	DRAWER CABINET 18"WIDE X 48"DEEP X 20"HIGH
	6	1	30-BH-LG	LARGE BOTTLE HOLDER
3	7	1	23-4363-5	PROFILED BACK BIN SHELF UNIT 43"WIDE X 13.5"DEEP X 63"HIGH WITH 5 SHELVES
	8	1	30-BH-SM	SMALL BOTTLE HOLDER
	9	1	30-HK-SMD	SWIVEL MEDIUM HOOK (4" OPENING)
	10	2	30-CCH-SK	UNDER SHELF CARRY CASE HOLDER W/CASE
	11	1	30-TBH	TWIN LEVEL REFRIGERANT BOTTLE HOLDER
	12	1	30-HK-FMD	FIXED MEDIUM HOOK (3" OPENING)
				OPTIONS
	13	1	31-RP20-XX	OPTIONAL SEE VEHICLE SPECIFIC RIGID FLOORING SYSTEMS SECTION
-				

383




7.4



60-RP21-P1

PLUMBING PACKAGE



#	QTY	PART NUMBER	DESCRIPTION
1	1	21-8363-5	PROFILED BACK SHELF UNIT 84"WIDE X 13.5"DEEP X 63"HIGH WITH 5 SHELVES
2	1	15-1363-8	PROFILED BACK CARRY CASE CABINET 18-7/8"WIDE X 13.5"DEEP X 63"HIGH WITH 8 CARRYCASES
3	1	23-4363-5	PROFILED BACK BIN SHELF UNIT 43"WIDE X 13.5"DEEP X 63"HIGH WITH 5 SHELVES
4	1	30-HK-SMD	SWIVEL MEDIUM HOOK (4" OPENING)
5	1	30-HK-FMD	FIXED MEDIUM HOOK (3" OPENING)
			OPTIONS
6	1	31-RP20-XX	OPTIONAL SEE VEHICLE SPECIFIC RIGID FLOORING SYSTEMS SECTION









RAM PROMASTER 136" WHEELBASE LOW ROOF

60-RP21-D1

DELIVERY PACKAGE





150



3



VES YES

RIGID FLOORING OPTIONS FOR RAM PROMASTER 136" WB



RIGID. 1/2" thick 100% recycled plastic composite. Extremely rigid floor is the most durable in its class. Long life, enduring extreme temperatures to avoid cracking and splitting. Non-porous surface is liquid resistant to eliminate bacteria and mold formation. Heavy-duty protection adds to end-of-lease resale value. For use under the harshest conditions including forklift loading.



ANTI-SLIP. rigid 1/2" thick 100% rubber coated composite plastic.

The most anti-slip rigid floor in its class.

Non-porous surface is liquid resistant to eliminate bacteria and mold formation. Heavy-duty protection adds to end-of-lease resale value with added benefit of non-slip surface.



STABLE. It is one of the only dimensional stable composite floors available on the market for cargo vehicles.

It is engineered to endure all climates and temperatures without bulging or buckling. StabiliGrip is extremely durable, impact resilient, moisture resistant, rot proof, and anti-slip.

								UPII	IN9
PART Number	FLOOR Model	# PIECES	TOTAL Lenth	TOTAL Width	BETWEEN Wheelhouses	INSTALL (MIN.)	WEIGHT (LBS.)	SIDE SILL	REAR SILL
31-RP20-11	ULTRAFLOOR	1	121.66 IN.	70.75 IN.	55.22 IN.	20	99	31-RP20-31	31-RP20-41
31-RP20-13	ULTRAFLOOR	3	121.66 IN.	70.75 IN.	55.22 IN.	20	99	31-RP20-31	31-RP20-41
31-RP20-21	ULTRAGRIP	1	121.66 IN.	70.75 IN.	55.22 IN.	20	112	31-RP20-31	31-RP20-41
31-RP20-23	ULTRAGRIP	3	121.66 IN.	70.75 IN.	55.22 IN.	20	112	31-RP20-31	31-RP20-41
31-RP20-01	STABILIGRIP	1	121.66 IN.	70.75 IN.	55.22 IN.	20	105	31-RP20-31	31-RP20-41
31-RP20-02	STABILIGRIP	2	121.66 IN.	70.75 IN.	55.22 IN.	20	105	31-RP20-31	31-RP20-41

RAM PROMASTER 136" WHEELBASE HIGH ROOF







PACK AGE

#	QTY	PART NUMBER	DESCRIPTION
1	1	21-9363-4	PROFILED BACK SHELF UNIT 96"WIDE X 13.5"DEEP X 63"HIGH WITH 4 SHELVES
2	1	21-4363-4	PROFILED BACK SHELF UNIT 48"WIDE X 13.5"DEEP X 63"HIGH WITH 4 SHELVES
3	1	30-HK-FMD	FIXED MEDIUM HOOK (3" OPENING)
4	1	30-HK-SMD	SWIVEL MEDIUM HOOK (4" OPENING)
			OPTIONS
5	1	31-RP20-XX	OPTIONAL SEE VEHICLE SPECIFIC RIGID FLOORING SYSTEMS SECTION



187




3.7





ELECTRICAL PACKAGE





6

0

329








RAM PROMASTER 136" WHEELBASE HIGH ROOF

60-RP22-S1

SERVICE PACKAGE



#	QTY	PART NUMBER	DESCRIPTION
1	1	21-7363-4	PROFILED BACK SHELF UNIT 72"WIDE X 13.5"DEEP X 63"HIGH WITH 4 SHELVES
2	1	15-1363-8	PROFILED BACK CARRY CASE CABINET 18-7/8"WIDE X 13.5"DEEP X 63"HIGH WITH 8 CARRYCASES
3	1	13-1363-3	PROFILED BACK LOCKER CABINET 14"WIDE X 13.5"DEEP X 63"HIGH WITH 3 SHELVES AND 2 HOOKS AND HANG ROD
4	1	23-4363-4	PROFILED BACK BIN SHELF UNIT 43"WIDE X 13.5"DEEP X 63"HIGH WITH 4 SHELVES
5	1	30-HK-FMD	FIXED MEDIUM HOOK (3" OPENING)
			OPTIONS
6	1	31-RP20-XX	OPTIONAL SEE VEHICLE SPECIFIC RIGID FLOORING SYSTEMS SECTION

315




4.3



60-RP22-W1

WORKSTATION **PACKAGE**



#	QTY	PART NUMBER	DESCRIPTION
1	1	23-5563-4	PROFILED BACK BIN SHELF UNIT 59.938"WIDE X 15.5"DEEP X 63"HIGH WITH 4 SHELVES
2	1	18-4536-LD	WORKBENCH 43"WIDE X 15.5"DEEP X 36"HIGH WITH A 6 DRAWER UNIT ON LEFT HAND SIDE
3	1	29-1563-5	PROFILED BACK BOOKSHELF 11" WIDE X 15.5" DEEP X 63" HIGH WITH 5 SHELVES
4	1	21-4563-4	PROFILED BACK SHELF UNIT 48"WIDE X 15.5"DEEP X 63"HIGH WITH 4 SHELVES
5	1	D0-148	LOCKING DOOR FOR 48" WIDE SHELVING UNIT
6	2	16-1512- 110	TOOL DRAWER 18"WIDE X 15.5"DEEP X 11-11/16"HIGH WITH 2 DRAWERS
7	1	30-HK-FMD	FIXED MEDIUM HOOK (3" OPENING)
8	1	30-HK-SMD	SWIVEL MEDIUM HOOK (4" OPENING)
			OPTIONS
9	1	31-RP30-XX	OPTIONAL SEE VEHICLE SPECIFIC RIGID FLOORING SYSTEMS SECTION








RAM PROMASTER 136" WHEELBASE HIGH ROOF





HVAC PACKAGE




	#	QTY	PART NUMBER	DESCRIPTION
	1	1	21-7563-4	PROFILED BACK SHELF UNIT 72"WIDE X 15.5"DEEP X 63"HIGH WITH 4 SHELVES
	2	1	D0-172	2-SET LOCKING DOOR KIT FOR 72" WIDE SHELVING UNIT
	3	1	30-TE-34	TOP EDGE FOR DRAWER CABINET 13.5" WIDE X 48" DEEP
	4	2	11-3406-0	DRAWER CABINET 13.5"WIDE X 48"DEEP X 6"HIGH
	5	1	11-8420-0	DRAWER CABINET 18"WIDE X 48"DEEP X 20"HIGH
	6	1	30-BH-LG	LARGE BOTTLE HOLDER
	7	1	23-4363-5	PROFILED BACK BIN SHELF UNIT 43"WIDE X 13.5"DEEP X 63"HIGH WITH 5 SHELVES
	8	1	30-BH-SM	SMALL BOTTLE HOLDER
	9	1	30-HK-SMD	SWIVEL MEDIUM HOOK (4" OPENING)
	10	2	30-CCH-SK	UNDER SHELF CARRY CASE HOLDER W/CASE
	11	1	30-TBH	TWIN LEVEL REFRIGERANT BOTTLE HOLDER
	12	1	30-HK-FMD	FIXED MEDIUM HOOK (3" OPENING)
				OPTIONS
	13	1	31-RP20-XX	OPTIONAL SEE VEHICLE SPECIFIC RIGID FLOORING SYSTEMS SECTION
-				

383



7.4





60-RP22-P1

PLUMBING PACKAGE

#	QTY	PART NUMBER	DESCRIPTION
1	1	21-8363-5	PROFILED BACK SHELF UNIT 84"WIDE X 13.5"DEEP X 63"HIGH WITH 5 SHELVES
2	1	15-1363-8	PROFILED BACK CARRY CASE CABINET 18-7/8"WIDE X 13.5"DEEP X 63"HIGH WITH 8 CARRYCASES
3	1	23-4363-5	PROFILED BACK BIN SHELF UNIT 43"WIDE X 13.5"DEEP X 63"HIGH WITH 5 SHELVES
4	1	30-HK-SMD	SWIVEL MEDIUM HOOK (4" OPENING)
5	1	30-HK-FMD	FIXED MEDIUM HOOK (3" OPENING)
			OPTIONS
6	1	31-RP20-XX	OPTIONAL SEE VEHICLE SPECIFIC RIGID FLOORING SYSTEMS SECTION





RAM PROMASTER 136" WHEELBASE HIGH ROOF

60-RP22-D1

DELIVERY PACK AGE



#	QTY	PART NUMBER	DESCRIPTION
1	2	26-5063-02	2 LEVEL FOLD-UP SHELVING UNIT, 53"W X 21"D X 63"H
2	1	26-4063-02	2 LEVEL FOLD-UP SHELVING UNIT, 41"W X 21"D X 63"H
			OPTIONS
3	1	31-RP20-XX	OPTIONAL SEE VEHICLE SPECIFIC RIGID FLOORING SYSTEMS SECTION

150





RIGID FLOORING OPTIONS FOR RAM PROMASTER 136" WB



RIGID. 1/2" thick 100% recycled plastic composite. Extremely rigid floor is the most durable in its class. Long life, enduring extreme temperatures to avoid cracking and splitting. Non-porous surface is liquid resistant to eliminate bacteria and mold formation. Heavy-duty protection adds to end-of-lease resale value. For use under the harshest conditions including forklift loading.



ANTI-SLIP. rigid 1/2" thick 100% rubber coated composite plastic.

The most anti-slip rigid floor in its class. Non-porous surface is liquid resistant to eliminate bacteria and mold formation. Heavy-duty protection adds to end-of-lease resale value with added benefit of non-slip surface.



STABLE. It is one of the only dimensional stable composite floors available on the market for cargo

It is engineered to endure all climates and temperatures without bulging or buckling. StabiliGrip is extremely durable, impact resilient, moisture resistant, rot proof, and anti-slip.


								UPII	IN9
PART Number	FLOOR Model	# PIECES	TOTAL Lenth	TOTAL Width	BETWEEN Wheelhouses	INSTALL (MIN.)	WEIGHT (LBS.)	SIDE SILL	REAR SILL
31-RP20-11	ULTRAFLOOR	1	121.66 IN.	70.75 IN.	55.22 IN.	20	99	31-RP20-31	31-RP20-41
31-RP20-13	ULTRAFLOOR	3	121.66 IN.	70.75 IN.	55.22 IN.	20	99	31-RP20-31	31-RP20-41
31-RP20-21	ULTRAGRIP	1	121.66 IN.	70.75 IN.	55.22 IN.	20	112	31-RP20-31	31-RP20-41
31-RP20-23	ULTRAGRIP	3	121.66 IN.	70.75 IN.	55.22 IN.	20	112	31-RP20-31	31-RP20-41
31-RP20-01	STABILIGRIP	1	121.66 IN.	70.75 IN.	55.22 IN.	20	105	31-RP20-31	31-RP20-41
31-RP20-02	STABILIGRIP	2	121.66 IN.	70.75 IN.	55.22 IN.	20	105	31-RP20-31	31-RP20-41

RAM PROMASTER 159" WHEELBASE HIGH ROOF





CONTRACTOR PACKAGE



#	QTY	PART NUMBER	DESCRIPTION					
1	1	21-8363-4	-8363-4 PROFILED BACK SHELF UNIT 84"WIDE X 13.5"DEEP X 63"HIGH WITH 4 SHELVES					
2	1	23-3363-5	PROFILED BACK BIN SHELF UNIT 34.5"WIDE X 13.5"DEEP X 63"HIGH WITH 5 SHELVES					
3	1	21-6363-4	PROFILED BACK SHELF UNIT 60"WIDE X 13.5"DEEP X 63"HIGH WITH 4 SHELVES					
4	1	30-HK-FMD	FIXED MEDIUM HOOK (3" OPENING)					
5	1	30-HK-SMD	SWIVEL MEDIUM HOOK (4" OPENING)					
			OPTIONS					
6	1	31-RP30-XX	OPTIONAL SEE VEHICLE SPECIFIC RIGID FLOORING SYSTEMS SECTION					

266




4.3

YES

60-RP32-E1

ELECTRICAL PACKAGE



#	QTY	PART NUMBER	DESCRIPTION
1	1	21-7363-4	PROFILED BACK SHELF UNIT 72"WIDE X 13.5"DEEP X 63"HIGH WITH 4 SHELVES
2	1	23-3363-5	PROFILED BACK BIN SHELF UNIT 34.5"WIDE X 13.5"DEEP X 63"HIGH WITH 5 SHELVES
3	1	13-1363-3	PROFILED BACK LOCKER CABINET 14"WIDE X 13.5"DEEP X 63"HIGH WITH 3 SHELVES AND 2 HOOKS AND HANG ROD
4	1	15-1363-8	PROFILED BACK CARRY CASE CABINET 18-7/8"WIDE X 13.5"DEEP X 63"HIGH WITH 8 CARRYCASES
5	1	18-4536-1W	WORKBENCH 43"WIDE X 15.5"DEEP X 36"HIGH WITH 1 STANDARD DIVIDER SHELF AND A 1.5" THICK HARDWOOD WORKTOP
6	2	30-HK-FMD	FIXED MEDIUM HOOK (3" OPENING)
			OPTIONS
7	1	31-RP30-XX	OPTIONAL SEE VEHICLE SPECIFIC RIGID FLOORING SYSTEMS SECTION



388








RAM PROMASTER 159" WHEELBASE HIGH ROOF

60-RP32-S1

SERVICE PACKAGE



#	QTY	PART NUMBER	DESCRIPTION
1	1	21-9363-4	PROFILED BACK SHELF UNIT 96"WIDE X 13.5"DEEP X 63"HIGH WITH 4 SHELVES
2	1	13-1363-3	PROFILED BACK LOCKER CABINET 14"WIDE X 13.5"DEEP X 63"HIGH WITH 3 SHELVES AND 2 HOOKS AND HANG ROD
3	1	15-1363-8	PROFILED BACK CARRY CASE CABINET 18-7/8"WIDE X 13.5"DEEP X 63"HIGH WITH 8 CARRYCASES
4	1	23-4363-4	PROFILED BACK BIN SHELF UNIT 43"WIDE X 13.5"DEEP X 63"HIGH WITH 4 SHELVES
5	1	30-HK-FMD	FIXED MEDIUM HOOK (3" OPENING)
			OPTIONS
6	1	31-RP30-XX	OPTIONAL SEE VEHICLE SPECIFIC RIGID FLOORING SYSTEMS SECTION

338




6.5



60-RP32-W1

WORKSTATION PACKAGE



#	QTY	PART NUMBER	DESCRIPTION
1	1	23-7563-4	PROFILED BACK BIN SHELF UNIT 77.750"WIDE X 15.5"DEEP X 63"HIGH WITH 4 SHELVES
2	1	18-4536-LD	WORKBENCH 43"WIDE X 15.5"DEEP X 36"HIGH WITH A 6 DRAWER UNIT ON LEFT HAND SIDE
3	1	16-2548- 332	TOOL DRAWER 24" WIDE X 15.5" DEEP X 47-11/16" HIGH WITH 8 DRAWERS
4	1	29-1563-5	PROFILED BACK BOOKSHELF 11" WIDE X 15.5" DEEP X 63" HIGH WITH 5 SHELVES
5	1	21-4563-4	PROFILED BACK SHELF UNIT 48"WIDE X 15.5"DEEP X 63"HIGH WITH 4 SHELVES
6	1	D0-148	LOCKING DOOR FOR 48" WIDE SHELVING UNIT
7	2	16-1512- 110	TOOL DRAWER 18"WIDE X 15.5"DEEP X 11-11/16"HIGH WITH 2 DRAWERS
8	1	30-HK-FMD	FIXED MEDIUM HOOK (3" OPENING)
9	1	30-HK-SMD	SWIVEL MEDIUM HOOK (4" OPENING)
			OPTIONS
10	1	31-RP30-XX	OPTIONAL SEE VEHICLE SPECIFIC RIGID FLOORING SYSTEMS SECTION








RAM PROMASTER 159" WHEELBASE HIGH ROOF





60-RP32-H1

HVAC PACKAGE

	#	QTY	PART NUMBER	DESCRIPTION
	1	1	21-7563-4	PROFILED BACK SHELF UNIT 72"WIDE X 15.5"DEEP X 63"HIGH WITH 4 SHELVES
	2	1	D0-172	2-SET LOCKING DOOR KIT FOR 72" WIDE SHELVING UNIT
	3	1	21-3563-4	PROFILED BACK SHELF UNIT 36"WIDE X 15.5"DEEP X 63"HIGH WITH 4 SHELVES
4	4	1	30-TE-34	TOP EDGE FOR DRAWER CABINET 13.5" WIDE X 48" DEEP
0	5	2	11-3406-0	DRAWER CABINET 13.5"WIDE X 48"DEEP X 6"HIGH
_	6	1	11-8420-0	DRAWER CABINET 18"WIDE X 48"DEEP X 20"HIGH
6	7	1	30-BH-LG	LARGE BOTTLE HOLDER
	8	1	33-\$363-5	PROFILED BACK REFRIGERANT SHELF UNIT 12.45" WIDE X 13.5" DEEP X 63" HIGH FOR 5 SMALL BOTTLES
	9	1	23-4363-5	PROFILED BACK BIN SHELF UNIT 43"WIDE X 13.5"DEEP X 63"HIGH WITH 5 SHELVES
	10	1	30-BH-SM	SMALL BOTTLE HOLDER
	11	1	30-HK-SMD	SWIVEL MEDIUM HOOK (4" OPENING)
	12	2	30-CCH-SK	UNDER SHELF CARRY CASE HOLDER W/CASE
	13	1	30-TBH	TWIN LEVEL REFRIGERANT BOTTLE HOLDER
	14	1	30-HK-FMD	FIXED MEDIUM HOOK (3" OPENING)
	15	1	31-RP30-XX	OPTIONAL SEE VEHICLE SPECIFIC RIGID FLOORING SYSTEMS SECTION
		-)	






9.8



60-RP32-P1

484

PLUMBING PACKAGE



#	QTY	PART NUMBER	DESCRIPTION
1	1	21-9363-5	PROFILED BACK SHELF UNIT 84"WIDE X 13.5"DEEP X 63"HIGH WITH 5 SHELVES
2	1	15-1363-8	PROFILED BACK CARRY CASE CABINET 18-7/8"WIDE X 13.5"DEEP X 63"HIGH WITH 8 CARRYCASES
3	1	23-6363-5	PROFILED BACK BIN SHELF UNIT 69.125"WIDE X 13.5"DEEP X 63"HIGH WITH 5 SHELVES
4	1	30-HK-SMD	SWIVEL MEDIUM HOOK (4" OPENING)
5	1	30-HK-FMD	FIXED MEDIUM HOOK (3" OPENING)
			OPTIONS
6	1	31-RP30-XX	OPTIONAL SEE VEHICLE SPECIFIC RIGID FLOORING SYSTEMS SECTION

360



Ø

6

0

•



RAM PROMASTER 159" WHEELBASE HIGH ROOF

60-RP32-D1

DELIVERY PACK AGE



#	QTY	PART NUMBER	DESCRIPTION
1	1	26-7063-02	2 LEVEL FOLD-UP SHELVING UNIT, 77"W X 21"D X 63"H
2	1	26-4063-02	2 LEVEL FOLD-UP SHELVING UNIT, 41"W X 21"D X 63"H
3	1	26-6063-02	2 LEVEL FOLD-UP SHELVING UNIT, 63"W X 21"D X 63"H
			OPTIONS
4	1	31-RP30-XX	OPTIONAL SEE VEHICLE SPECIFIC RIGID FLOORING SYSTEMS SECTION

175



3.8



RIGID FLOORING OPTIONS FOR RAM PROMASTER 159" WB



RIGID. 1/2" thick 100% recycled plastic composite. Extremely rigid floor is the most durable in its class. Long life, enduring extreme temperatures to avoid cracking and splitting. Non-porous surface is liquid resistant to eliminate bacteria and mold formation. Heavy-duty protection adds to end-of-lease resale value. For use under the harshest conditions including forklift loading.



ANTI-SLIP. rigid 1/2" thick 100% rubber coated composite plastic.

The most anti-slip rigid floor in its class. Non-porous surface is liquid resistant to eliminate bacteria and mold formation. Heavy-duty protection adds to end-of-lease resale value with added benefit of non-slip surface.



STABLE. It is one of the only dimensional stable composite floors available on the market for cargo


It is engineered to endure all climates and temperatures without bulging or buckling. StabiliGrip is extremely durable, impact resilient, moisture resistant, rot proof, and anti-slip.

ODTIONS

								UPII	IONO
PART Number	FLOOR Model	# PIECES	TOTAL Lenth	TOTAL Width	BETWEEN Wheelhouses	INSTALL (MIN.)	WEIGHT (LBS.)	SIDE SILL	REAR SILL
31-RP30-12	ULTRAFLOOR	2	144.78 IN.	68.12 IN.	55.22 IN.	25	120	31-RP30-31	31-RP30-41
31-RP30-13	ULTRAFLOOR	3	144.78 IN.	68.12 IN.	55.22 IN.	25	120	31-RP30-31	31-RP30-41
31-RP30-22	ULTRAGRIP	2	144.78 IN.	68.12 IN.	55.22 IN.	25	135	31-RP30-31	31-RP30-41
31-RP30-23	ULTRAGRIP	3	144.78 IN.	68.12 IN.	55.22 IN.	25	135	31-RP30-31	31-RP30-41
31-RP30-02	STABILIGRIP	2	144.78 IN.	68.12 IN.	55.22 IN.	25	135	31-RP30-31	31-RP30-41
31-RP30-03	STABILIGRIP	3	144.78 IN.	68.12 IN.	55.22 IN.	25	135	31-RP30-31	31-RP30-41

RAM PROMASTER 159" EXT. WHEELBASE HIGH ROOF





0

60-RP42-C1

CONTRACTOR PACK AGE

#	QTY	PART NUMBER	DESCRIPTION
1	1	21-9363-4	PROFILED BACK SHELF UNIT 96"WIDE X 13.5"DEEP X 63"HIGH WITH 4 SHELVES
2	1	23-3363-5	PROFILED BACK BIN SHELF UNIT 34.5"WIDE X 13.5"DEEP X 63"HIGH WITH 5 SHELVES
3	1	21-6363-4	PROFILED BACK SHELF UNIT 60"WIDE X 13.5"DEEP X 63"HIGH WITH 4 SHELVES
4	1	30-HK-FMD	FIXED MEDIUM HOOK (3" OPENING)
5	1	30-HK-SMD	SWIVEL MEDIUM HOOK (4" OPENING)
			OPTIONS
6	1	31-RP40-XX	OPTIONAL SEE VEHICLE SPECIFIC RIGID FLOORING SYSTEMS SECTION



278





60-RP42-E1

ELECTRICAL PACKAGE





411








RAM PROMASTER 159" EXT. WHEELBASE HIGH ROOF

60-RP42-S1

SERVICE PACKAGE



#	QTY	PART NUMBER	DESCRIPTION
1	1	21-9363-4	PROFILED BACK SHELF UNIT 96"WIDE X 13.5"DEEP X 63"HIGH WITH 4 SHELVES
2	1	21-3363-4	PROFILED BACK SHELF UNIT 36"WIDE X 13.5"DEEP X 63"HIGH WITH 4 SHELVES
3	1	15-1363-8	PROFILED BACK CARRY CASE CABINET 18-7/8"WIDE X 13.5"DEEP X 63"HIGH WITH 8 CARRYCASES
4	1	23-4363-6	PROFILED BACK BIN SHELF UNIT 43"WIDE X 13.5"DEEP X 63"HIGH WITH 6 SHELVES
5	1	13-1363-3	PROFILED BACK LOCKER CABINET 14"WIDE X 13.5"DEEP X 63"HIGH WITH 3 SHELVES AND 2 HOOKS AND HANG ROD
6	1	30-HK-FMD	FIXED MEDIUM HOOK (3" OPENING)
			OPTIONS
7	1	31-RP40-XX	OPTIONAL SEE VEHICLE SPECIFIC RIGID FLOORING SYSTEMS SECTION

420




6.5



60-RP42-W1

WORKSTATION **PACKAGE**



#	QTY	PART NUMBER	DESCRIPTION
1	1	23-8563-4	PROFILED BACK BIN SHELF UNIT 86.375"WIDE X 15.5"DEEP X 63"HIGH WITH 4 SHELVES
2	1	18-4536-LD	WORKBENCH 43"WIDE X 15.5"DEEP X 36"HIGH WITH A 6 DRAWER UNIT ON LEFT HAND SIDE
3	1	16-2548- 332	TOOL DRAWER 24" WIDE X 15.5" DEEP X 47-11/16" HIGH WITH 8 DRAWERS
4	1	29-1563-5	PROFILED BACK BOOKSHELF 11" WIDE X 15.5" DEEP X 63" HIGH WITH 5 SHELVES
5	1	21-6563-4	PROFILED BACK SHELF UNIT 60"WIDE X 15.5"DEEP X 63"HIGH WITH 4 SHELVES
6	1	DO-156	LOCKING DOOR FOR 56" WIDE SHELVING UNIT
7	2	16-1512- 110	TOOL DRAWER 18"WIDE X 15.5"DEEP X 11-11/16"HIGH WITH 2 DRAWERS
8	1	30-HK-FMD	FIXED MEDIUM HOOK (3" OPENING)
9	1	30-HK-SMD	SWIVEL MEDIUM HOOK (4" OPENING)
			OPTIONS
10	1	31-RP40-XX	OPTIONAL SEE VEHICLE SPECIFIC RIGID FLOORING SYSTEMS SECTION



640





RAM PROMASTER 159" EXT. WHEELBASE HIGH ROOF






HVAC PACKAGE



60-RP42-P1

PLUMBING PACK AGE



9

#	QTY	PART NUMBER	DESCRIPTION
1	1	21-9363-5	PROFILED BACK SHELF UNIT 96"WIDE X 13.5"DEEP X 63"HIGH WITH 5 SHELVES
2	1	21-3363-5	PROFILED BACK SHELF UNIT 36"WIDE X 13.5"DEEP X 63"HIGH WITH 5 SHELVES
3	1	15-1363-8	PROFILED BACK CARRY CASE CABINET 18-7/8"WIDE X 13.5"DEEP X 63"HIGH WITH 8 CARRYCASES
4	1	23-6363-5	PROFILED BACK BIN SHELF UNIT 69.125"WIDE X 13.5"DEEP X 63"HIGH WITH 5 SHELVES
5	1	30-HK-SMD	SWIVEL MEDIUM HOOK (4" OPENING)
6	1	30-HK-FMD	FIXED MEDIUM HOOK (3" OPENING)
			OPTIONS
7	1	31-RP40-XX	OPTIONAL SEE VEHICLE SPECIFIC RIGID FLOORING SYSTEMS SECTION

427

1

Ø


(



RAM PROMASTER 159" EXT. WHEELBASE HIGH ROOF

60-RP42-D1

DELIVERY PACKAGE



#	QTY	PART NUMBER	DESCRIPTION
1	2	26-7063-02	2 LEVEL FOLD-UP SHELVING UNIT, 77"W X 21"D X 63"H
2	1	26-5063-02	2 LEVEL FOLD-UP SHELVING UNIT, 53"W X 21"D X 63"H
			OPTIONS
3	1	31-RP40-XX	OPTIONAL SEE VEHICLE SPECIFIC RIGID FLOORING SYSTEMS SECTION

LBS

194



38



VES YES

RIGID FLOORING OPTIONS FOR RAM PROMASTER 159" EXT. WB



RIGID. 1/2" thick 100% recycled plastic composite. Extremely rigid floor is the most durable in its class. Long life, enduring extreme temperatures to avoid cracking and splitting. Non-porous surface is liquid resistant to eliminate bacteria and mold formation. Heavy-duty protection adds to end-of-lease resale value. For use under the harshest conditions including forklift loading.



ANTI-SLIP. rigid 1/2" thick 100% rubber coated composite plastic.

The most anti-slip rigid floor in its class. Non-porous surface is liquid resistant to eliminate bacteria and mold formation. Heavy-duty protection adds to end-of-lease resale value with added benefit of non-slip surface.



STABLE. It is one of the only dimensional stable composite floors available on the market for cargo vehicles


It is engineered to endure all climates and temperatures without bulging or buckling. StabiliGrip is extremely durable, impact resilient, moisture resistant, rot proof, and anti-slip.

ODTIONS

								UPTIUNS	
PART Number	FLOOR Model	# PIECES	TOTAL Lenth	TOTAL Width	BETWEEN Wheelhouses	INSTALL (MIN.)	WEIGHT (LBS.)	SIDE SILL	REAR SILL
31-RP40-12	ULTRAFLOOR	2	159.15 IN.	70.75 IN.	55.22 IN.	20	132	31-RP40-31	31-RP40-41
31-RP40-13	ULTRAFLOOR	3	159.15 IN.	70.75 IN.	55.22 IN.	20	132	31-RP40-31	31-RP40-41
31-RP40-22	ULTRAGRIP	2	159.15 IN.	70.75 IN.	55.22 IN.	20	150	31-RP40-31	31-RP40-41
31-RP40-23	ULTRAGRIP	3	159.15 IN.	70.75 IN.	55.22 IN.	20	150	31-RP40-31	31-RP40-41
31-RP40-02	STABILIGRIP	2	159.15 IN.	70.75 IN.	55.22 IN.	25	148	31-RP40-31	31-RP40-41
31-RP40-03	STABILIGRIP	3	159.15 IN.	70.75 IN.	55.22 IN.	25	148	31-RP40-31	31-RP40-41

PARTITIONS





INSIDE ROOF HEIGHT

LOW ROOF: 65" HIGHROOF: 76"


PART Number	DESCRIPTION	FITS:	WEIGHT (LBS.)
10-RP00-121	PROFILED SOLID PARTITION	LOW/HIGH ROOF	70



INSIDE ROOF HEIGHT

LOWROOF: 65" HIGHROOF: 76"

PART Number	DESCRIPTION	FITS:	WEIGHT (LBS.)
10-RP00-122	PROFILED PERFORATED PARTITION	LOW/HIGH ROOF	67



INSIDE ROOF HEIGHT Lowroof: 65"

HIGHROOF: 76"

PART Number	BER DESCRIPTION		WEIGHT (LBS.)
10-RP00-123	PROFILED WINDOW PARTITION	LOW/HIGH ROOF	68





PART Number	DESCRIPTION	DEEP (IN.)	WIDE (IN.)	HIGH (IN.)	DIVIDERS	WEIGHT (LBS.)
11-8320-0	DRAWER CABINET	36	13.5	6	4	24.2



PART Number	DESCRIPTION	DEEP (IN.)	WIDE (IN.)	HIGH (IN.)	DIVIDERS	WEIGHT (LBS.)
11-8420-0	DRAWER CABINET	48	13.5	6	5	30.5



PART Number	DESCRIPTION	DEEP (IN.)	WIDE (IN.)	HIGH (IN.)	FITS:	WEIGHT (LBS.)
30-TE-33	TOP EDGE	36	13.5	4.5	11-3306-0	4.35



PART Number	DESCRIPTION	DEEP (IN.)	WIDE (IN.)	HIGH (IN.)	FITS:	WEIGHT (LBS.)
30-TE-34	TOP EDGE	48	13.5	4.5	11-3406-0	4.79



PART	DESCRIPTION	DEEP	WIDE	HIGH	BOLT DOWN	WEIGHT
Number		(IN.)	(IN.)	(IN.)	Bracket	(LBS.)
11-8320-0	DRAWER CABINET	36	18	20	30-FH-3	58.74



PART	DESCRIPTION	DEEP	WIDE	HIGH	BOLT DOWN	WEIGHT
Number		(IN.)	(IN.)	(IN.)	Bracket	(LBS.)
11-8420-0	DRAWER CABINET	48	18	20	30-FH-8	72.77



PART Number	DESCRIPTION	DEEP (IN.)	WIDE (IN.)	HIGH (IN.)	FITS:	WEIGHT (LBS.)
30-TE-83	TOP EDGE	36	13.5	4.5	11-8320-0	5.34



PART Number	DESCRIPTION	DEEP (IN.)	WIDE (IN.)	HIGH (IN.)	FITS:	WEIGHT (LBS.)	
30-TE-84	TOP EDGE	48	18	4.5	11-8420-0	5.78	



PART Number	DESCRIPTION	FITS:	MATERIAL	WEIGHT (LBS.)
30-FH-3	DRAWER BOLT DOWN BRACKET	11-3306-0 AND 11-3406-0	GALV. STEEL	3



PART Number	DESCRIPTION	FITS:	MATERIAL	WEIGHT (LBS.)
30-FH-8	DRAWER BOLT DOWN BRACKET	11-8320-0 AND 11-8420-0	GALV. STEEL	4






PART Number	DESCRIPTION	OPENING Radius	DEEP (IN.)	WIDE (IN.)	HIGH (IN.)	WEIGHT (LBS.)
30-HK-CSM	SMALL COAT HOOK (ZINC)	0.625"	1.5"	0.61"	3.11"	0.133
30-HK-CMD	MEDIUM COAT HOOK (ZINC)	1.25"	1.7"	1.5"	2.03"	0.123



PART Number	DESCRIPTION	OPENING Radius	DEEP (IN.)	WIDE (IN.)	HIGH (IN.)	WEIGHT (LBS.)
30-HK-FSM	FIXED SMALL HOOK	2"	2.0"	0.75"	4.75"	0.11
30-HK-FMD	FIXED MEDIUM HOOK	3"	3.0"	0.75"	5.25"	0.16
30-HK-FLG	FIXED LARGE HOOK	4"	4.0"	0.75"	5.75"	0.16





PART Number	DESCRIPTION	MATERIAL	DEEP (IN.)	WIDE (IN.)	HIGH (IN.)	WEIGHT (LBS.)
30-HH-WM	WALL MOUNTED HARD HAT HOLDER	STEEL	11.750"	12.250"	3.250"	0.437
30-HH-HR	HEAD REST MOUNT HARD HAT HOLDER	STEEL	11.750"	12.250"	3.250"	0.491



PART	DESCRIPTION	DEEP	WIDE	HIGH	WEIGHT
Number		(IN.)	(IN.)	(IN.)	(LBS.)
30-CH-12	SPRAY CAN HOLDER W/POCKET	4.00"	9.94"	8.82"	1.36



PART Number	DESCRIPTION	DOCUMENT Size	DEEP (IN.)	WIDE (IN.)	HIGH (IN.)	WEIGHT (LBS.)
30-DH-LTR-1	SINGLE DOCUMENT HOLDER	LETTER	2.1"	11.5"	7"	0.8
30-DH-LGL-1	SINGLE DOCUMENT HOLDER	LEGAL	2.1	18"	7"	0.9
30-DH-LGL-3	TRIPLE DOCUMENT HOLDER	LEGAL	3.25"	16"	24"	3.6



PART Number	DESCRIPTION	OPENING Radius	DEEP (IN.)	WIDE (IN.)	HIGH (IN.)	WEIGHT (LBS.)
30-HK-SSM	SWIVEL SMALL HOOK	3"	3.86"	3"	7.75"	0.41
30-HK-SMD	SWIVEL MEDIUM HOOK	4"	4.86"	3"	8.25"	0.44
30-HK-SLG	SWIVEL LARGE HOOK	5"	5.86"	5"	8.75"	0.47



PART Number	DESCRIPTION	MATERIAL	DEEP (IN.)	WIDE (IN.)	HIGH (IN.)	WEIGHT (LBS.)
30-HK-MSL	MOVABLE STEP LADDER SHELF HOOKS	ALUM (.125)	6.750"	4.000"	3.125"	1.36



PART	DESCRIPTION	DEEP	WIDE	HIGH	WEIGHT
Number		(IN.)	(IN.)	(IN.)	(LBS.)
30-CH-23	CAULKING TUBE HOLDER	3.5"	9.94"	8.82"	1.36





PART Number	DESCRIPTION	MATERIAL	DEEP (IN.)	WIDE (IN.)	HIGH (IN.)	WEIGHT (LBS.)
30-HS-07	HITCH MOUNTED STEP	ALUMINUM	7"	18"	2.5"	6.3



PART Number	DESCRIPTION	DIAMETER (In.)	HIGH (IN.)	COLOUR	BASE	WEIGHT (LBS.)
30-FLT-BLK	FLETTNER TCX-2 VENTILATOR	10.2"	6.54"	BLACK	STD	1.84
30-FLT-WHT	FLETTNER TCX-2 VENTILATOR	10.2"	6.54"	WHITE	STD	1.84
30-FLT-BLK-NW	FLETTNER TCX-2 VENTILATOR	3.9"	6.0"	BLACK	NRW	1.84
30-FLT-EXT	FLETTNER TCX-2 VENT. EXTENSION	3.9"	6.0"	BLACK	STD	0.45




PART Number	DESCRIPTION	COMPART- Ments	DEEP (IN.)	WIDE (IN.)	HIGH (IN.)	WEIGHT (LBS.)
30-CCO-10	CARRYCASE ORGANIZER	10	13.500"	16.750"	4.250"	4.85



PART Number	DESCRIPTION	DEEP (IN.)	WIDE (IN.)	HIGH (IN.)	WEIGHT (LBS.)	CAM BUCKLES
30-TBH	TWIN BOTTLE HOLDER	11.10"	11.00"	44.00"	8.74	2X 48" STRAP



PART Number	DESCRIPTION	DEEP (IN.)	WIDE (IN.)	HIGH (IN.)	WEIGHT (LBS.)	COLOUR
SH-BIN	SHORT STORAGE BIN	7.375"	4.125"	3.000"	0.20	YELLOW
SM-BIN	SMALL STORAGE BIN	9.250"	6.000"	5.000"	0.63	YELLOW
MD-BIN	MEDIUM STORAGE BIN	10.875"	4.125"	4.000"	0.48	YELLOW
LG-BIN	LARGE STORAGE BIN	13.625"	8.500"	6.000"	1.33	YELLOW



PART	DESCRIPTION	CARRYCASE	DEEP	WIDE	HIGH	WEIGHT
Number		Included	(IN.)	(IN.)	(IN.)	(LBS.)
30-CCH-SK	UNDER SHELF CARRYCASE HOLDER	YES	13.750"	16.810"	6.000"	3.44



PART	DESCRIPTION	REEL	DEEP	WIDE	HIGH	WEIGHT
Number		Guides	(IN.)	(IN.)	(IN.)	(LBS.)
30-CRH-24	CABLE REEL HOLDER	2	7.00"	15.50"	24.00"	8.04





PART Number	DESCRIPTION	MATERIAL	DEEP (IN.)	WIDE (IN.)	HIGH (IN.)	WEIGHT (LBS.)
30-BH-SM	BOTTLE HOLDER (SMALL) 1X 48" STRAP	ALUM.	0.96"	6.000"	12.00"	1.01
30-BH-LG	BOTTLE HOLDER (LARGE) 2X 48" STRAP	ALUM.	0.96"	6.750"	24.00"	1.50





PART Number	DESCRIPTION	DEEP (IN.)	WIDE (IN.)	HIGH (IN.)	MATERIAL	WEIGHT (LBS.)
108539	FIRST-AID KIT	8.25	5.25	2.75	PLASTIC	0.85
30-FAH-1	BRACKET FOR FIRST-AID KIT	36	13.5	6	ALUMINUM	2.42



PART Number	DESCRIPTION	UNIT	MATERIAL
460-301	SERIES L LOGISTIC TRACK	100"	ALUMINUM
454-301	SERIES L STUD FITTING WITH RING	EA.	STEEL AND ALUMINUM



PART Number	DESCRIPTION	LENGTH	WIDTH	MATERIAL	WEIGHT (LBS.)
30-CBS-24	STRAP WITH CAMBUCKLE	24	1	NYLON	.23
30-CBS-36	STRAP WITH CAMBUCKLE	36	1	NYLON	.33
30-CBS-48	STRAP WITH CAMBUCKLE	48	1	NYLON	.40
30-CBS-72	STRAP WITH CAMBUCKLE	72	1	NYLON	.45





	PART Number	DESCRIPTION	CAPACITY	TYPE	PSI	MOUNT Type	WEIGHT (LBS.)
	SAQ814	FIRE EXTINGUISHER	2.5LBS	ABC	150	VEHICLE	4.25
Г	SC946	FIRE EXTINGUISHER	5LBS	ABC	195	VEHICLE	10.5



PART Number	DESCRIPTION	DIAMTER	LUMENS	VOLTAGE	LENS
701-041	LED DOME LAMP	6.125	648	12 VDC	CLEAR



PART Number	DESCRIPTION	BEAN	VOLTS	WATTS	LUMENS
709-713	LED WORK LAMP	FLOOD	10-30 VDC	42	3360





PART Number	DESCRIPTION	DEEP (IN.)	WIDE (IN.)	HIGH (IN.)	WEIGHT (LBS.)	COLOUR
30-QFC-01	QUICK FIST CLAMP	2.875"	0.750"	2.500"	0.31	BLACK



PART Number	DESCRIPTION	DEEP (IN.)	WIDE (IN.)	HIGH (IN.)	WEIGHT (LBS.)	COLOUR	
30-HDL-PL	GRAB HANDLE	9.250"	6.000"	5.000"	0.63	BLACK	





PART Number	DESCRIPTION	SIZE (IN.)	HIGH an.)	AMPS	VOLTAGE
102177	LOW PROFILE LED MINIBAR	16.5" X 8.25"	3.625"	3	12-24VDC
110599	LED ROTATOR BEACON	7" DIAM.	5.25	1.3	12-24VDC





PART Number	DESCRIPTION	DEEP	WIDE	HIGH	MATERIAL	WEIGHT (LBS.)
71422	3-TRIANGLE FLARE KIT	18.5"	5"	5"	PLASTIC	15.55
30-FKH-1	BRACKET (FLARE KIT)	36	13.5	6	ALUMINUM	2.52



LADDER AND STEP LADDER RACKS

CONTRACTOR-PLUMBER-ELECTRICIAN



HVAC



	P										<u> </u>	
PART Number	RECCOMENDED TRADE		DRIVER SIDE			PASSENGER SID	IE	WEIGHT (LBS.)	INSTALL	4" TUBE	6" TUBE	2ND STEPLADDER Option (4'-6')
CALL	CONTRACTOR/PLUMBER/ELECTRICIAN	A	8'-10'	FIXED	FIXED	MAX 28'	TITUTE	65	2H00	T4	T6	N/A
US	CONTRACTOR/PLUMBER/ELECTRICIAN	\mathbb{A}	6'-8'	DROP	DROP	MAX 28'	TITUTE	115	2H00	N/A	N/A	N/A
TO	HVAC	\mathbb{A}	6'-8'	FIXED	FIXED	MAX 28'	THIT	65	2H00	N/A	N/A	SL2
CONFIGURE	HVAC	A	6'-8'	FIXED	DROP	MAX 28'	THIT	115	2H00	N/A	N/A	SL2

CONTRACTOR-PLUMBER-ELECTRICIAN



HVAC



	<i>Y</i>				UFIII	JNO
PART Number	RECCOMENDED TRADE	DRIVER SIDE	PASSENGER SIDE	WEIGHT INSTALL	4" TUBE 6" TUBE	2ND STEPLADDER Option (4'-6')
CALL	CONTRACTOR/PLUMBER/ELECTRICIAN	6'-8' DROP	DROP MAX 28'	115 2H00	N/A N/A	N/A
US	HVAC	6'-8' FIXED	DROP MAX 28'	115 2H00	N/A N/A	SL2

CONTRACTOR-PLUMBER-ELECTRICIAN



HVAC



PART Number	RECCOMENDED TRADE		DRIVER SIDE		ا	PASSENGER SID	E	WEIGHT (LBS.)	INSTALL	4" TUBE	6" TUBE	2ND STEPLADDER Option (4'-6')
CALL	CONTRACTOR/PLUMBER/ELECTRICIAN	A	6'-8'	DROP	DROP	MAX 28'	TITUIL	115	2H00	N/A	N/A	N/A
US	HVAC	A	6'-8'	FIXED	DROP	MAX 28'	TITUTE	115	2H00	N/A	N/A	SL2
TO	CONTRACTOR/PLUMBER/ELECTRICIAN	A	6'-8'	DROP	DROP	MAX 28'	THILL	115	2H00	N/A	N/A	N/A
CONFIGURE	HVAC	\mathbb{A}	6'-8'	FIXED	DROP	MAX 28'	THILL	115	2H00	N/A	N/A	SL2

NOTES:		

NOTES:				



VO	III	D = A	I FN
_ V I	IIV.	$II \vdash \Lambda$	1 6 0 .
	un	III A	LER:

G.W. ANGLIN MANUFACTURING INC.

CUSTOMER SERVICE: 1.888.GWA.KITS (492-5487) CS@GWAKITS.COM

WWW.GWAKITS.COM INFO@GWAKITS.COM

DEALERS@GWAKITS.COM