

VEHICLE FLOORING

- ❑ RIGID HDPE PLASTIC FLOOR FOR DURABILITY
- ❑ UNIQUE RUBBERIZED SURFACE FOR SAFETY
- ❑ MAINTENANCE FREE
- ❑ MEETS FMVSS 302
- ❑ .500 INCHES THICK
- ❑ 100% RECYCLED
- ❑ UV RESISTANT



RIGID FLOORING

VEHICLE FLOORING

VEHICLE FLOORING




ULTRAFLOOR FLOOR. Corrosion-resistant, rigid 1/2" thick 100% recycled plastic composite

Extremely rigid floor is the most durable in its class. Long life, enduring extreme temperatures to avoid cracking and splitting. Non-porous surface is liquid resistant to eliminate bacteria and mold formation. Heavy-duty protection adds to end-of-lease resale value.

For use under the harshest conditions including forklift loading.



CUSTOMIZED. Our selection of Plastic Floors are customized to fit your worktruck in all wheelbases



PRECISE. Every Floor is precisely cut to follow the contours of wheelhouses, door sills and all other obstacles inside your worktruck.



SMART. Each pattern is designed to allow your OEM floor anchors to be re-installed above the newly installed surface.

**specific models only*


ULTRAGRIP FLOOR. Extremely anti-slip, rigid 1/2" thick 100% rubber coated composite plastic.

UltraGrip floor is the most anti-slip rigid floor in its class. Non-porous surface is liquid resistant to eliminate bacteria and mold formation. Heavy-duty protection adds to end-of-lease resale value with added benefit of non-slip surface.

Combines rigid floor and rubber mat for the most cost effective option.



CUSTOMIZED. Our selection of Plastic Floors are customized to fit your worktruck in all wheelbases



PRECISE. Every Floor is precisely cut to follow the contours of wheelhouses, door sills and all other obstacles inside your worktruck.



SMART. Each pattern is designed to allow your OEM floor anchors to be re-installed above the newly installed surface.

**specific models only*



STABILIGRIP FLOOR. Extremely anti-slip, rigid 1/2" thick with a sandpaper textured TPO top layer.

StabiliGrip floor is the most anti-slip rigid floor in its class. Non-porous surface is liquid resistant to eliminate bacteria and mold formation. Heavy-duty protection adds to end-of-lease resale value with added benefit of non-slip surface. the Bottom TPO layer provides noise reduction and rattling while the inner composite core being stable mitigates reaction to extreme temperatures.



CUSTOMIZED. Our selection of Plastic Floors are customized to fit your worktruck in all wheelbases

**NEW
PRODUCT**




PRECISE. Every Floor is precisely cut to follow the contours of wheelhouses, door sills and all other obstacles inside your worktruck.



SMART. Each pattern is designed to allow your OEM floor anchors to be re-installed above the newly installed surface.


**specific models only*

VEHICLE FLOORING




FORD TRANSIT CONNECT

FORD 2013- TRANSIT CONNECT




PART NUMBER	FLOOR MODEL	# PIECES	TOTAL LENGTH	TOTAL WIDTH	BETWEEN WHEELHOUSES	INSTALL (MIN.)	WEIGHT (LBS.)	OPTIONS	
								2 SIDE SILLS	REAR SILL
31-FC13-11	ULTRAFLOOR	1	71.58 IN.	55.92 IN.	47.79 IN.	15	50	31-FC13-32	31-FC13-41
31-FC13-21	ULTRAGRIP	1	71.58 IN.	55.92 IN.	47.79 IN.	15	56	31-FC13-32	31-FC13-41

FORD 2014+ TRANSIT CONNECT SWB



PART NUMBER	FLOOR MODEL	# PIECES	TOTAL LENGTH	TOTAL WIDTH	BETWEEN WHEELHOUSES	INSTALL (MIN.)	WEIGHT (LBS.)	OPTIONS	
								2 SIDE SILLS	REAR SILL
31-FC10-11	ULTRAFLOOR	1	64.32 IN.	51.37 IN.	46.75 IN.	15	38	31-FC01-32	31-FC01-41
31-FC10-21	ULTRAGRIP	1	64.32 IN.	51.37 IN.	46.75 IN.	15	44	31-FC01-32	31-FC01-41
31-FC10-01	STABILIGRIP	1	64.32 IN.	51.37 IN.	46.75 IN.	15	41	31-FC01-32	31-FC01-41


FORD 2014+ TRANSIT CONNECT LWB




PART NUMBER	FLOOR MODEL	# PIECES	TOTAL LENGTH	TOTAL WIDTH	BETWEEN WHEELHOUSES	INSTALL (MIN.)	WEIGHT (LBS.)	OPTIONS	
								2 SIDE SILLS	REAR SILL
31-FC20-11	ULTRAFLOOR	1	80.00 IN.	51.37 IN.	46.75 IN.	15	50	31-FC20-32	31-FC20-41
31-FC20-12	ULTRAFLOOR	2	80.00 IN.	51.37 IN.	46.75 IN.	15	50	31-FC20-32	31-FC20-41
31-FC20-21	ULTRAGRIP	1	80.00 IN.	51.37 IN.	46.75 IN.	15	56	31-FC20-32	31-FC20-41
31-FC20-22	ULTRAGRIP	2	80.00 IN.	51.37 IN.	46.75 IN.	15	56	31-FC20-32	31-FC20-41
31-FC20-01	STABILIGRIP	1	80.00 IN.	51.37 IN.	46.75 IN.	15	50	31-FC20-32	31-FC20-41
31-FC20-02	STABILIGRIP	2	80.00 IN.	51.37 IN.	46.75 IN.	15	50	31-FC20-32	31-FC20-41

VEHICLE FLOORING

FORD TRANSIT FULLSIZE VAN




FORD TRANSIT 130" WB




								Options	
PART NUMBER	FLOOR MODEL	# PIECES	TOTAL LENGTH	TOTAL WIDTH	BETWEEN WHEELHOUSES	INSTALL (MIN.)	WEIGHT (LBS.)	SIDE SILL	REAR SILL
31-FT10-11	ULTRAFLOOR	1	120.43 IN.	68.12 IN.	52.97 IN.	20	83	31-FT10-31	31-FT10-41
31-FT10-12	ULTRAFLOOR	2	120.43 IN.	68.12 IN.	52.97 IN.	20	83	31-FT10-31	31-FT10-41
31-FT10-21	ULTRAGRIP	1	120.43 IN.	68.12 IN.	52.97 IN.	20	94	31-FT10-31	31-FT10-41
31-FT10-22	ULTRAGRIP	2	120.43 IN.	68.12 IN.	52.97 IN.	20	94	31-FT10-31	31-FT10-41
31-FT10-01	STABILIGRIP	1	120.43 IN.	68.12 IN.	52.97 IN.	20	114	31-FT10-31	31-FT10-41
31-FT10-02	STABILIGRIP	2	120.43 IN.	68.12 IN.	52.97 IN.	20	114	31-FT10-31	31-FT10-41

FORD TRANSIT 148" WB



								OPTIONS	
PART NUMBER	FLOOR MODEL	# PIECES	TOTAL LENGTH	TOTAL WIDTH	BETWEEN WHEELHOUSES	INSTALL (MIN.)	WEIGHT (LBS.)	SIDE SILL	REAR SILL
31-FT20-12	ULTRAFLOOR	2	138.16 IN.	68.12 IN.	52.97 IN.	20	98	31-FT20-31	31-FT20-41
31-FT20-13	ULTRAFLOOR	3	138.16 IN.	68.12 IN.	52.97 IN.	20	98	31-FT20-31	31-FT20-41
31-FT20-22	ULTRAGRIP	2	138.16 IN.	68.12 IN.	52.97 IN.	20	111	31-FT20-31	31-FT20-41
31-FT20-23	ULTRAGRIP	3	138.16 IN.	68.12 IN.	52.97 IN.	20	111	31-FT20-31	31-FT20-41
31-FT20-02	STABILIGRIP	2	138.16 IN.	68.12 IN.	52.97 IN.	20	122	31-FT20-31	31-FT20-41
31-FT20-03	STABILIGRIP	3	138.16 IN.	68.12 IN.	52.97 IN.	20	122	31-FT20-31	31-FT20-41

FORD TRANSIT 148" EXT. WB




								OPTIONS	
PART NUMBER	FLOOR MODEL	# PIECES	TOTAL LENGTH	TOTAL WIDTH	BETWEEN WHEELHOUSES	INSTALL (MIN.)	WEIGHT (LBS.)	SIDE SILL	REAR SILL
31-FT30-12	ULTRAFLOOR	2	166.35 IN.	68.12 IN.	52.97 IN.	25	122	31-FT30-31	31-FT30-41
31-FT30-13	ULTRAFLOOR	3	166.35 IN.	68.12 IN.	52.97 IN.	25	122	31-FT30-31	31-FT30-41
31-FT30-22	ULTRAGRIP	2	166.35 IN.	68.12 IN.	52.97 IN.	25	138	31-FT30-31	31-FT30-41
31-FT30-23	ULTRAGRIP	3	166.35 IN.	68.12 IN.	52.97 IN.	25	138	31-FT30-31	31-FT30-41
31-FT30-02	STABILIGRIP	2	166.35 IN.	68.12 IN.	52.97 IN.	25	142	31-FT30-31	31-FT30-41
31-FT30-03	STABILIGRIP	3	166.35 IN.	68.12 IN.	52.97 IN.	25	142	31-FT30-31	31-FT30-41

VEHICLE FLOORING




FORD E-SERIES

FORD E-SERIES REGULAR WB




PART NUMBER	FLOOR MODEL	# PIECES	TOTAL LENGTH	TOTAL WIDTH	BETWEEN WHEELHOUSES	INSTALL (MIN.)	WEIGHT (LBS.)	OPTIONS	
								SIDE SILL	REAR SILL
31-FE10-11	ULTRAFLOOR	1	116.18 IN.	71.00 IN.	51.75 IN.	15	84	31-FE10-31	31-FE10-41
31-FE10-12	ULTRAFLOOR	2	116.18 IN.	71.00 IN.	51.75 IN.	15	84	31-FE10-31	31-FE10-41
31-FE10-21	ULTRAGRIP	1	116.18 IN.	71.00 IN.	51.75 IN.	15	95	31-FE10-31	31-FE10-41
31-FE10-22	ULTRAGRIP	2	116.18 IN.	71.00 IN.	51.75 IN.	15	95	31-FE10-31	31-FE10-41

FORD E-SERIES EXTENDED WB




PART NUMBER	FLOOR MODEL	# PIECES	TOTAL LENGTH	TOTAL WIDTH	BETWEEN WHEELHOUSES	INSTALL (MIN.)	WEIGHT (LBS.)	OPTIONS	
								SIDE SILL	REAR SILL
31-FE20-12	ULTRAFLOOR	2	136.27 IN.	71.00 IN.	51.75 IN.	18	101	31-FE20-31	31-FE20-41
31-FE20-13	ULTRAFLOOR	3	136.27 IN.	71.00 IN.	51.75 IN.	18	101	31-FE20-31	31-FE20-41
31-FE20-22	ULTRAGRIP	2	136.27 IN.	71.00 IN.	51.75 IN.	18	114	31-FE20-31	31-FE20-41
31-FE20-23	ULTRAGRIP	3	136.27 IN.	71.00 IN.	51.75 IN.	18	114	31-FE20-31	31-FE20-41






VEHICLE FLOORING

RAM PROMASTER, CITY & TRADESMAN C/V






RAM PROMASTER 118" WB




								OPTIONS	
PART NUMBER	FLOOR MODEL	# PIECES	TOTAL LENGTH	TOTAL WIDTH	BETWEEN WHEELHOUSES	INSTALL (MIN.)	WEIGHT (LBS.)	SIDE SILL	REAR SILL
31-RP10-11	ULTRAFLOOR	1	103.75 IN.	70.75 IN.	55.22 IN.	20	84	31-RP10-31	31-RP10-41
31-RP10-12	ULTRAFLOOR	2	103.75 IN.	70.75 IN.	55.22 IN.	20	84	31-RP10-31	31-RP10-41
31-RP10-21	ULTRAGRIP	1	103.75 IN.	70.75 IN.	55.22 IN.	20	94	31-RP10-31	31-RP10-41
31-RP10-22	ULTRAGRIP	2	103.75 IN.	70.75 IN.	55.22 IN.	20	94	31-RP10-31	31-RP10-41
31-RP10-01	STABILIGRIP	1	103.75 IN.	70.75 IN.	55.22 IN.	20	94	31-RP10-31	31-RP10-41
31-RP10-02	STABILIGRIP	2	103.75 IN.	70.75 IN.	55.22 IN.	20	94	31-RP10-31	31-RP10-41

RAM PROMASTER 136" WB



								OPTIONS	
PART NUMBER	FLOOR MODEL	# PIECES	TOTAL LENGTH	TOTAL WIDTH	BETWEEN WHEELHOUSES	INSTALL (MIN.)	WEIGHT (LBS.)	SIDE SILL	REAR SILL
31-RP20-11	ULTRAFLOOR	1	121.66 IN.	70.75 IN.	55.22 IN.	20	99	31-RP20-31	31-RP20-41
31-RP20-13	ULTRAFLOOR	3	121.66 IN.	70.75 IN.	55.22 IN.	20	99	31-RP20-31	31-RP20-41
31-RP20-21	ULTRAGRIP	1	121.66 IN.	70.75 IN.	55.22 IN.	20	112	31-RP20-31	31-RP20-41
31-RP20-23	ULTRAGRIP	3	121.66 IN.	70.75 IN.	55.22 IN.	20	112	31-RP20-31	31-RP20-41
31-RP20-01	STABILIGRIP	1	121.66 IN.	70.75 IN.	55.22 IN.	20	105	31-RP20-31	31-RP20-41
31-RP20-02	STABILIGRIP	2	121.66 IN.	70.75 IN.	55.22 IN.	20	105	31-RP20-31	31-RP20-41

RAM PROMASTER 159" WB




								OPTIONS	
PART NUMBER	FLOOR MODEL	# PIECES	TOTAL LENGTH	TOTAL WIDTH	BETWEEN WHEELHOUSES	INSTALL (MIN.)	WEIGHT (LBS.)	SIDE SILL	REAR SILL
31-RP30-12	ULTRAFLOOR	2	144.78 IN.	68.12 IN.	55.22 IN.	25	120	31-RP30-31	31-RP30-41
31-RP30-13	ULTRAFLOOR	3	144.78 IN.	68.12 IN.	55.22 IN.	25	120	31-RP30-31	31-RP30-41
31-RP30-22	ULTRAGRIP	2	144.78 IN.	68.12 IN.	55.22 IN.	25	135	31-RP30-31	31-RP30-41
31-RP30-23	ULTRAGRIP	3	144.78 IN.	68.12 IN.	55.22 IN.	25	135	31-RP30-31	31-RP30-41
31-RP30-02	STABILIGRIP	2	144.78 IN.	68.12 IN.	55.22 IN.	25	135	31-RP30-31	31-RP30-41
31-RP30-03	STABILIGRIP	3	144.78 IN.	68.12 IN.	55.22 IN.	25	135	31-RP30-31	31-RP30-41

VEHICLE FLOORING




RAM PROMASTER, CITY & C/V TRADESMAN

RAM PROMASTER 159" EXT. WB




								OPTIONS	
PART NUMBER	FLOOR MODEL	# PIECES	TOTAL LENGTH	TOTAL WIDTH	BETWEEN WHEELHOUSES	INSTALL (MIN.)	WEIGHT (LBS.)	SIDE SILL	REAR SILL
31-RP40-12	ULTRAFLOOR	2	159.15 IN.	70.75 IN.	55.22 IN.	20	132	31-RP40-31	31-RP40-41
31-RP40-13	ULTRAFLOOR	3	159.15 IN.	70.75 IN.	55.22 IN.	20	132	31-RP40-31	31-RP40-41
31-RP40-22	ULTRAGRIP	2	159.15 IN.	70.75 IN.	55.22 IN.	20	150	31-RP40-31	31-RP40-41
31-RP40-23	ULTRAGRIP	3	159.15 IN.	70.75 IN.	55.22 IN.	20	150	31-RP40-31	31-RP40-41
31-RP40-02	STABILIGRIP	2	159.15 IN.	70.75 IN.	55.22 IN.	25	148	31-RP40-31	31-RP40-41
31-RP40-03	STABILIGRIP	3	159.15 IN.	70.75 IN.	55.22 IN.	25	148	31-RP40-31	31-RP40-41

RAM PROMASTER CITY



								OPTIONS	
PART NUMBER	FLOOR MODEL	# PIECES	TOTAL LENGTH	TOTAL WIDTH	BETWEEN WHEELHOUSES	INSTALL (MIN.)	WEIGHT (LBS.)	SIDE SILL	REAR SILL
31-RC10-11	ULTRAFLOOR	1	79.50 IN.	55.00 IN.	47.75 IN.	20	50	31-RC10-31	31-RC10-41
31-RC10-12	ULTRAFLOOR	2	79.50 IN.	55.00 IN.	47.75 IN.	20	50	31-RC10-31	31-RC10-41
31-RC10-21	ULTRAGRIP	1	79.50 IN.	55.00 IN.	47.75 IN.	20	56	31-RC10-31	31-RC10-41
31-RC10-22	ULTRAGRIP	2	79.50 IN.	55.00 IN.	47.75 IN.	20	56	31-RC10-31	31-RC10-41
31-RC10-01	STABILIGRIP	1	79.50 IN.	55.00 IN.	47.75 IN.	20	82	31-RC10-31	31-RC10-41
31-RC10-02	STABILIGRIP	2	79.50 IN.	55.00 IN.	47.75 IN.	20	82	31-RC10-31	31-RC10-41


RAM C/V TRADESMAN





								OPTIONS	
PART NUMBER	FLOOR MODEL	# PIECES	TOTAL LENGTH	TOTAL WIDTH	BETWEEN WHEELHOUSES	INSTALL (MIN.)	WEIGHT (LBS.)	SIDE SILL	REAR SILL
31-RT10-11	ULTRAFLOOR	1	95.50 IN.	58.00 IN.	49.00 IN.	10	64	N/A	N/A
31-RT10-12	ULTRAFLOOR	2	95.50 IN.	58.00 IN.	49.00 IN.	10	64	N/A	N/A
31-RT10-21	ULTRAGRIP	1	95.50 IN.	58.00 IN.	49.00 IN.	10	72	N/A	N/A
31-RT10-22	ULTRAGRIP	2	95.50 IN.	58.00 IN.	49.00 IN.	10	72	N/A	N/A

VEHICLE FLOORING

MERCEDES SPRINTER & METRIS




MERCEDES SPRINTER 144" WB




PART NUMBER	FLOOR MODEL	# PIECES	TOTAL LENGTH	TOTAL WIDTH	BETWEEN WHEELHOUSES	INSTALL (MIN.)	WEIGHT (LBS.)	OPTIONS	
								SIDE SILL	REAR SILL
31-MS10-12	ULTRAFLOOR	2	129.00 IN.	70.00 IN.	53.00 IN.	20	99	31-MS10-31	31-MS10-41
31-MS10-13	ULTRAFLOOR	3	129.00 IN.	70.00 IN.	53.00 IN.	20	99	31-MS10-31	31-MS10-41
31-MS10-22	ULTRAGRIP	2	129.00 IN.	70.00 IN.	53.00 IN.	20	111	31-MS10-31	31-MS10-41
31-MS10-23	ULTRAGRIP	3	129.00 IN.	70.00 IN.	53.00 IN.	20	111	31-MS10-31	31-MS10-41
31-MS10-01	STABILIGRIP	1	129.00 IN.	70.00 IN.	53.00 IN.	20	121	31-MS10-31	31-MS10-41
31-MS10-02	STABILIGRIP	2	129.00 IN.	70.00 IN.	53.00 IN.	20	121	31-MS10-31	31-MS10-41

MERCEDES SPRINTER 170" WB




PART NUMBER	FLOOR MODEL	# PIECES	TOTAL LENGTH	TOTAL WIDTH	BETWEEN WHEELHOUSES	INSTALL (MIN.)	WEIGHT (LBS.)	OPTIONS	
								SIDE SILL	REAR SILL
31-MS20-12	ULTRAFLOOR	2	169.50 IN.	70.00 IN.	53.00 IN.	20	135	31-MS20-31	31-MS20-41
31-MS20-13	ULTRAFLOOR	3	169.50 IN.	70.00 IN.	53.00 IN.	20	135	31-MS20-31	31-MS20-41
31-MS20-22	ULTRAGRIP	2	169.50 IN.	70.00 IN.	53.00 IN.	20	151	31-MS20-31	31-MS20-41
31-MS20-23	ULTRAGRIP	3	169.50 IN.	70.00 IN.	53.00 IN.	20	151	31-MS20-31	31-MS20-41
31-MS20-02	STABILIGRIP	2	169.50 IN.	70.00 IN.	53.00 IN.	20	151	31-MS20-31	31-MS20-41
31-MS20-03	STABILIGRIP	3	169.50 IN.	70.00 IN.	53.00 IN.	20	151	31-MS20-31	31-MS20-41

MERCEDES SPRINTER 170" EXT. WB




PART NUMBER	FLOOR MODEL	# PIECES	TOTAL LENGTH	TOTAL WIDTH	BETWEEN WHEELHOUSES	INSTALL (MIN.)	WEIGHT (LBS.)	OPTIONS	
								SIDE SILL	REAR SILL
31-MS30-12	ULTRAFLOOR	2	186.50 IN.	70.00 IN.	53.00 IN.	25	150	31-MS30-31	31-MS30-41
31-MS30-14	ULTRAFLOOR	4	186.50 IN.	70.00 IN.	53.00 IN.	25	150	31-MS30-31	31-MS30-41
31-MS30-22	ULTRAGRIP	2	186.50 IN.	70.00 IN.	53.00 IN.	25	168	31-MS30-31	31-MS30-41
31-MS30-24	ULTRAGRIP	4	186.50 IN.	70.00 IN.	53.00 IN.	25	168	31-MS30-31	31-MS30-41
31-MS30-02	STABILIGRIP	2	186.50 IN.	70.00 IN.	53.00 IN.	25	168	31-MS30-31	31-MS30-41
31-MS30-04	STABILIGRIP	4	186.50 IN.	70.00 IN.	53.00 IN.	25	168	31-MS30-31	31-MS30-41

VEHICLE FLOORING



MERCEDES SPRINTER & METRIS

MERCEDESMETRIS



								OPTIONS	
PART NUMBER	FLOOR MODEL	# PIECES	TOTAL LENTH	TOTAL WIDTH	BETWEEN WHEELHOUSES	INSTALL (MIN.)	WEIGHT (LBS.)	SIDE SILL	REAR SILL
31-MM10-11	ULTRAFLOOR	1	101.22 IN.	64.48 IN.	49.45 IN.	20	99	N/A	N/A
31-MM10-12	ULTRAFLOOR	2	101.22 IN.	64.48 IN.	49.45 IN.	20	99	N/A	N/A
31-MM10-21	ULTRAGRIP	1	101.22 IN.	64.48 IN.	49.45 IN.	20	112	N/A	N/A
31-MM10-22	ULTRAGRIP	2	101.22 IN.	64.48 IN.	49.45 IN.	20	112	N/A	N/A
31-MM10-21	STABILIGRIP	1	101.22 IN.	64.48 IN.	49.45 IN.	20	82	N/A	N/A
31-MM10-22	STABILIGRIP	2	101.22 IN.	64.48 IN.	49.45 IN.	20	82	N/A	N/A



VEHICLE FLOORING

NISSAN NV CARGO & NV200




NISSAN NV CARGO



								OPTIONS	
PART NUMBER	FLOOR MODEL	# PIECES	TOTAL LENTH	TOTAL WIDTH	BETWEEN WHEELHOUSES	INSTALL (MIN.)	WEIGHT (LBS.)	SIDE SILL	REAR SILL
31-NV10-11	ULTRAFLOOR	1	117.69 IN.	69.48 IN.	53.80 IN.	20	87	31-NV10-31	31-NV10-41
31-NV10-12	ULTRAFLOOR	2	117.69 IN.	69.48 IN.	53.80 IN.	20	87	31-NV10-31	31-NV10-41
31-NV10-21	ULTRAGRIP	1	117.69 IN.	69.48 IN.	53.80 IN.	20	98	31-NV10-31	31-NV10-41
31-NV10-22	ULTRAGRIP	2	117.69 IN.	69.48 IN.	53.80 IN.	20	98	31-NV10-31	31-NV10-41
31-NV10-01	STABILIGRIP	1	117.69 IN.	69.48 IN.	53.80 IN.	20	112	31-NV10-31	31-NV10-41
31-NV10-02	STABILIGRIP	2	117.69 IN.	69.48 IN.	53.80 IN.	20	112	31-NV10-31	31-NV10-41

NISSAN NV200



								OPTIONS	
PART NUMBER	FLOOR MODEL	# PIECES	TOTAL LENTH	TOTAL WIDTH	BETWEEN WHEELHOUSES	INSTALL (MIN.)	WEIGHT (LBS.)	SIDE SILL	REAR SILL
31-NN10-11	ULTRAFLOOR	1	79.24 IN.	55.43 IN.	47.71 IN.	15	46	31-NN10-31	31-NN10-41
31-NN10-12	ULTRAFLOOR	2	79.24 IN.	55.43 IN.	47.71 IN.	15	46	31-NN10-31	31-NN10-41
31-NN10-21	ULTRAGRIP	1	79.24 IN.	55.43 IN.	47.71 IN.	15	52	31-NN10-31	31-NN10-41
31-NN10-22	ULTRAGRIP	2	79.24 IN.	55.43 IN.	47.71 IN.	15	52	31-NN10-31	31-NN10-41
31-NN10-01	STABILIGRIP	1	79.24 IN.	55.43 IN.	47.71 IN.	15	52	31-NN10-31	31-NN10-41
31-NN10-02	STABILIGRIP	2	79.24 IN.	55.43 IN.	47.71 IN.	15	52	31-NN10-31	31-NN10-41




VEHICLE FLOORING



CHEVROLET EXPRESS, CITY EXPRESS & GMC SAVANA

CHEVROLET CITY EXPRESS



PART NUMBER	FLOOR MODEL	# PIECES	TOTAL LENGTH	TOTAL WIDTH	BETWEEN WHEELHOUSES	INSTALL (MIN.)	WEIGHT (LBS.)	OPTIONS	
								SIDE SILL	REAR SILL
31-CC10-11	ULTRAFLOOR	1	79.24 IN.	55.43 IN.	47.71 IN.	15	46	N/A	N/A
31-CC10-12	ULTRAFLOOR	2	79.24 IN.	55.43 IN.	47.71 IN.	15	46	N/A	N/A
31-CC10-21	ULTRAGRIP	1	79.24 IN.	55.43 IN.	47.71 IN.	15	52	N/A	N/A
31-CC10-22	ULTRAGRIP	2	79.24 IN.	55.43 IN.	47.71 IN.	15	52	N/A	N/A
31-CC10-01	STABILIGRIP	1	79.24 IN.	55.43 IN.	47.71 IN.	15	52	N/A	N/A
31-CC10-02	STABILIGRIP	2	79.24 IN.	55.43 IN.	47.71 IN.	15	52	N/A	N/A

GMC SAVANA / CHEVY EXPRESS 135" WB



PART NUMBER	FLOOR MODEL	# PIECES	TOTAL LENGTH	TOTAL WIDTH	BETWEEN WHEELHOUSES	INSTALL (MIN.)	WEIGHT (LBS.)	OPTIONS	
								SIDE SILL	REAR SILL
31-GM10-11	ULTRAFLOOR	1	112.27 IN.	70.00 IN.	51.97 IN.	20	84	31-GM10-31	31-GM10-41
31-GM10-12	ULTRAFLOOR	2	112.27 IN.	70.00 IN.	51.97 IN.	20	84	31-GM10-31	31-GM10-41
31-GM10-21	ULTRAGRIP	1	112.27 IN.	70.00 IN.	51.97 IN.	20	95	31-GM10-31	31-GM10-41
31-GM10-22	ULTRAGRIP	2	112.27 IN.	70.00 IN.	51.97 IN.	20	95	31-GM10-31	31-GM10-41
31-GM10-01	STABILIGRIP	1	112.27 IN.	70.00 IN.	51.97 IN.	20	105	31-GM10-31	31-GM10-41
31-GM10-02	STABILIGRIP	2	112.27 IN.	70.00 IN.	51.97 IN.	20	105	31-GM10-31	31-GM10-41

GMC SAVANA / CHEVY EXPRESS 155" EXT. WB



PART NUMBER	FLOOR MODEL	# PIECES	TOTAL LENGTH	TOTAL WIDTH	BETWEEN WHEELHOUSES	INSTALL (MIN.)	WEIGHT (LBS.)	OPTIONS	
								SIDE SILL	REAR SILL
31-GM20-12	ULTRAFLOOR	2	131.83 IN.	71.50 IN.	51.97 IN.	20	101	31-GM20-31	31-GM20-41
31-GM20-13	ULTRAFLOOR	3	131.83 IN.	71.50 IN.	51.97 IN.	20	101	31-GM20-31	31-GM20-41
31-GM20-22	ULTRAGRIP	2	131.83 IN.	71.50 IN.	51.97 IN.	20	114	31-GM20-31	31-GM20-41
31-GM20-23	ULTRAGRIP	3	131.83 IN.	71.50 IN.	51.97 IN.	20	114	31-GM20-31	31-GM20-41
31-GM20-02	STABILIGRIP	2	131.83 IN.	71.50 IN.	51.97 IN.	20	114	31-GM20-31	31-GM20-41
31-GM20-03	STABILIGRIP	3	131.83 IN.	71.50 IN.	51.97 IN.	20	114	31-GM20-31	31-GM20-41